Modified PTO/SB/33 (10-05)

		Docket Num	ner (10/3b/33 (10-03)
PRE-APPEAL BRIEF REQUEST FOR REVIEW		Docket Humber	
		Q64839	
	Application Number		Filed
Mail Care AE	09/878,269		June 12, 2001
Mail Stop AF Commissioner for Patents	First Named Inventor		
P.O. Box 1450 Alexandria, VA 22313-1450	Pascal AGIN		
	Art Unit		Examiner
			Bob A.
	2616		PHUNKULH
WASHINGTON OFFICE			
23373 CINTOMER NUMBER			
CUS JOMER NUMBER			
Applicant requests review of the final rejection in the above-identified application. No			
amendments are being filed with this request.			
This request is being filed with a notice of appeal			
This request is being fried with a notice of appear			
The review is requested for the reasons(s) stated on the attached sheet(s).			
Note: No more than five (5) pages may be provided.			
☑ I am an attorney or agent of record.			
Registration number 28,703	/DJ0	Cushing/	
	Signature		
	David J. Cushing		
	Typed or printed name		
Typed of princed name			
		(202) 293-7060	
	Telephone number		
		D	7 2006
	-		ber 7, 2006 Date
		,	Jaic

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of Docket No: O64839

Pascal AGIN

Appln. No.: 09/878,269 Group Art Unit: 2616

Confirmation No.: 2987 Examiner: Bob A. PHUNKULH

Filed: June 12, 2001

For: METHOD OF CONTROLLING TRANSMISSION POWER IN A MOBILE RADIO

SYSTEM

PRE-APPEAL BRIEF REQUEST FOR REVIEW

MAIL STOP AF - PATENTS

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

Pursuant to the Pre-Appeal Brief Conference Pilot Program, and further to the

Examiner's Final Office Action dated June 7, 2006, Applicant files this Pre-Appeal Brief

Request for Review. This Request is also accompanied by the filing of a Notice of Appeal.

Claims 26-56 stand in the application. Claims 26-44, 49-54 are indicated as containing allowable subject matter, so the present appeal is directed only to claims 45-48 and 55-56. The independent claims are claims 45 and 55, and those claims will be discussed here.

The present invention relates to power control. The transmission quality of a channel is monitored and if it drops below a target value, the transmission power can be increased to obtain better transmission quality. A critical feature of such a system is the determination of the level at which the target value should be set. In the discussion hereafter, the result of the comparison of the actual and target transmission quality will be called the "comparison result." Note that the

a change in the comparison result. For example, if the transmission quality is at the target value but the target is raised, the transmission quality will now be below the new target, and at the next sampling of the comparison result will be different and the system will call for an increase in the transmission power. What the present invention does is, when it sees an adjustment being made to the target value, it knows that this adjustment will result in a change in the comparison value at the next sampling. Without waiting for this, since it knows the comparison value will change, it makes an "anticipatory" adjustment of the transmission power. (Transmission power is used by way of example to simplify the discussion, and in fact the anticipatory adjustment can be made to any of the transmission power of the data channel, the transmission power of a control channel, or the offset of the transmission power of the control channel relative to the transmission power of the data channel.)

The key aspect of the present invention is this anticipatory variation.

Claims 45-48 and 55-56 are rejected for anticipation by Baker (USP 6,754,505).

Baker describes an arrangement wherein power adjustments are made, as needed. And it uses an adapted adjustment step size. Thus, if the difference between the actual and target is very large, Baker recognizes that it will take a long time to make the necessary correction, so it will increase the adjustment step size so that fewer adjustments will suffice. But note what is being adjusted. In the present invention and in Baker, there is an adjustment to the transmission power if the comparison result calls for it. In the present invention, there is an anticipatory

adjustment to the transmission power if the target changes. In Baker there is an adjustment to the adjustment step size if the comparison result is too far off.

The examiner refers to lines 1-7 of column 5 of Baker as allegedly teaching the application of anticipatory variations to the *transmission power*. But the passage cited by the examiner contains no such teaching. Baker teaches that if the power level adjustment to be made is large, then the *step size* is increased. But this is not an anticipated variation of the *power level*, it is a variation of the adjustment step size that will be used in the future when an adjustment to the transmission power is needed. The adjustment to the transmission power itself is not made until after the error is first measured.

The examiner argues that claim 45 does not recite that the anticipatory variation is applied before the variable is modified by the control loop. The examiner is apparently ignoring the word "anticipated" in claim 45. It is clear that anyone of ordinary skill in the art would interpret this term to mean that the adjustment is made before the adjustment that will be called for as a result of the use of the new target value. In any event, however, what the claim very clearly does describe is that the anticipated variation is applied *in response to a variation of the target value*. When the target value is varied, the system knows that when the measurement is subsequently made, an error will be found that will require variation of the transmission power.

But Baker does not make its modification in response to a variation in the *target* value. The only change made is in response to a detected error amount.

As to claim 55, that claim requires the controlling of a downlink transmission power as a function of a transmission target quality value, the determination of a target value variation based Pre-Appeal Brief Request for Review USSN 09/878,269

on a parameter sent to the base station for the uplink, and then a power offset being applied to the

downlink transmission power corresponding to the determined target value variation.

Baker teaches control of transmission power in accordance with transmitted power

control commands. It does not say anything about determining a target value variation for the

downlink based on a parameter signaled to the base station for the uplink. And while it might at

best teach the application of a power offset, it is not in correspondence with a determined target

value variation, and certainly no such variation which is determined based on a parameter

signaled to the base station for the uplink.

For the above reasons, it is respectfully submitted that the invention defined in the

rejected claims is neither shown nor suggested in Baker.

Respectfully submitted,

SUGHRUE MION, PLLC

Telephone: (202) 293-7060 Facsimile: (202) 293-7860

WASHINGTON OFFICE 23373
CUSTOMER NUMBER

Date: December 7, 2006

/DJCushing/

David J. Cushing Registration No. 28,703